

AIO Hash Rosin - 0.50 g - Muha Meds - Mimosa

Lab ID: 260406-775-WCC-(2)-2

METRC Batch: 1A4060300007F5B000161456; METRC Sample: 1A4060300007F5B000161543

Sample ID: 2604PHS0603.2575

Produced: 04/02/2026

Distributor

Producer

Strain: Mimosa

Collected: 04/06/2026

Westside Caregivers Club, Inc

Westside Caregivers Club, Inc

Matrix: Concentrates & Extracts

Received: 04/06/2026

Lic. # C12-0000266-LIC

Lic. # C12-0000266-LIC

Type: Vape

Completed: 04/10/2026

7731 N Hayvenhurst Ave

7731 N Hayvenhurst Ave Van Nuys, CA

Sample Size: 20 units; Batch: 1,585 units

Batch#: 040626MMHRAIOMM1456

Van Nuys, CA 91406

91406



Summary

Test	Date Tested	Result
Cannabinoids	04/09/2026	Pass
Residual Solvents	04/08/2026	Pass
Microbials	04/09/2026	Pass
Mycotoxins	04/08/2026	Pass
Pesticides	04/08/2026	Pass
Heavy Metals	04/09/2026	Pass
Foreign Matter	04/09/2026	Pass

Cannabinoids

Pass

75.172%		ND		80.066%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.001	0.003	ND	ND	ND
Δ9-THC	0.003	0.009	75.172	751.72	375.86
Δ8-THC	0.004	0.012	ND	ND	ND
THCVa	0.001	0.003	ND	ND	ND
THCV	0.001	0.003	0.442	4.42	2.21
CBDa	0.001	0.003	ND	ND	ND
CBD	0.002	0.006	ND	ND	ND
CBN	0.001	0.003	0.335	3.35	1.68
CBGa	0.001	0.003	0.886	8.86	4.43
CBG	0.002	0.007	2.700	27.00	13.50
CBC	0.001	0.003	0.640	6.40	3.20
Total THC			75.172	751.720	375.860
Total CBD			ND	ND	ND
Total			80.175	801.75	400.88

Notes:

Total THC=(THCa*0.877)+Δ9THC+Δ8THC Total CBD=(CBDa*0.877) + CBD Total Cannabinoids=Total THC+ Total CBD+(CBGa*0.877)+CBG+(THCVa*0.877)+THCV+CBN+CBC
LOQ=Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA SOP 6.0 4 CCR 15724, SOP 6.12 for flower and pre-rolls. Microbial qPCR SOP 6.05 4 CCR 15720 Foreign Material: SOP 2.02 4 CCR 15722 %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 4 CCR 15717.



Rkeledj
Raquel Keledjian
Lab Director
04/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 4 CCR 15730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

AIO Hash Rosin - 0.50 g - Muha Meds - Mimosa

Lab ID: 260406-775-WCC-(2)-2

METRC Batch: 1A4060300007F5B000161456; METRC Sample: 1A4060300007F5B000161543

Sample ID: 2604PHS0603.2575

Produced: 04/02/2026

Distributor

Producer

Strain: Mimosa

Collected: 04/06/2026

Westside Caregivers Club, Inc

Westside Caregivers Club, Inc

Matrix: Concentrates & Extracts

Received: 04/06/2026

Lic. # C12-0000266-LIC

Lic. # C12-0000266-LIC

Type: Vape

Completed: 04/10/2026

7731 N Hayvenhurst Ave

7731 N Hayvenhurst Ave Van Nuys, CA

Sample Size: 20 units; Batch: 1,585 units

Batch#: 040626MMHRAIOMM1456

Van Nuys, CA 91406

91406

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.027	0.080	0.100	ND	Pass	Fludioxonil	0.027	0.080	0.100	ND	Pass
Acephate	0.027	0.080	0.100	ND	Pass	Hexythiazox	0.027	0.080	0.100	ND	Pass
Acequinocyl	0.027	0.080	0.100	ND	Pass	Imazalil	0.027	0.080	0.027	ND	Pass
Acetamiprid	0.027	0.080	0.100	ND	Pass	Imidacloprid	0.027	0.080	5.000	ND	Pass
Aldicarb	0.027	0.080	0.027	ND	Pass	Kresoxim Methyl	0.027	0.080	0.100	ND	Pass
Azoxystrobin	0.027	0.080	0.100	ND	Pass	Malathion	0.027	0.080	0.500	ND	Pass
Bifenazate	0.027	0.080	0.100	ND	Pass	Metalaxyl	0.027	0.080	2.000	ND	Pass
Bifenthrin	0.027	0.080	3.000	ND	Pass	Methiocarb	0.027	0.080	0.027	ND	Pass
Boscalid	0.027	0.080	0.100	ND	Pass	Methomyl	0.027	0.080	1.000	ND	Pass
Captan	0.233	0.700	0.700	ND	Pass	Mevinphos	0.027	0.080	0.027	ND	Pass
Carbaryl	0.027	0.080	0.500	ND	Pass	Myclobutanil	0.027	0.080	0.100	ND	Pass
Carbofuran	0.027	0.080	0.027	ND	Pass	Naled	0.027	0.080	0.100	ND	Pass
Chlorantraniliprole	0.027	0.080	10.000	ND	Pass	Oxamyl	0.027	0.080	0.500	ND	Pass
Chlordane	0.027	0.080	0.027	ND	Pass	Paclobutrazol	0.036	0.100	0.036	ND	Pass
Chlorfenapyr	0.027	0.040	0.027	ND	Pass	Parathion Methyl	0.027	0.040	0.027	ND	Pass
Chlorpyrifos	0.027	0.080	0.027	ND	Pass	Pentachloronitrobenzene	0.027	0.080	0.100	ND	Pass
Clofentezine	0.027	0.080	0.100	ND	Pass	Permethrin	0.027	0.080	0.500	ND	Pass
Coumaphos	0.027	0.080	0.027	ND	Pass	Phosmet	0.027	0.080	0.100	ND	Pass
Cyfluthrin	0.303	0.909	2.000	ND	Pass	Piperonyl Butoxide	0.027	0.080	3.000	ND	Pass
Cypermethrin	0.027	0.080	1.000	ND	Pass	Prallethrin	0.027	0.080	0.100	ND	Pass
Daminozide	0.027	0.080	0.027	ND	Pass	Propiconazole	0.027	0.080	0.100	<LOQ	Pass
Diazinon	0.027	0.080	0.100	ND	Pass	Propoxur	0.027	0.080	0.027	ND	Pass
Dichlorvos	0.027	0.080	0.027	ND	Pass	Pyrethrins	0.027	0.080	0.500	ND	Pass
Dimethoate	0.027	0.080	0.027	ND	Pass	Pyridaben	0.027	0.080	0.100	ND	Pass
Dimethomorph	0.027	0.080	2.000	ND	Pass	Spinetoram	0.027	0.080	0.100	ND	Pass
Ethoprophos	0.027	0.080	0.027	ND	Pass	Spinosad	0.027	0.017	0.100	ND	Pass
Etofenprox	0.027	0.080	0.027	ND	Pass	Spiromesifen	0.027	0.080	0.100	ND	Pass
Etoxazole	0.027	0.080	0.100	ND	Pass	Spirotetramat	0.027	0.080	0.100	ND	Pass
Fenhexamid	0.027	0.080	0.100	ND	Pass	Spiroxamine	0.027	0.080	0.027	ND	Pass
Fenoxycarb	0.027	0.080	0.027	ND	Pass	Tebuconazole	0.027	0.080	0.100	ND	Pass
Fenpyroximate	0.027	0.080	0.100	ND	Pass	Thiacloprid	0.027	0.080	0.027	ND	Pass
Fipronil	0.027	0.080	0.027	ND	Pass	Thiamethoxam	0.027	0.080	5.000	ND	Pass
Flonicamid	0.027	0.080	0.100	ND	Pass	Trifloxystrobin	0.027	0.080	0.100	ND	Pass

Date Tested: 04/08/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticide detection is determined by LCMS & GCMS, SOP 6.03 & 6.04, 4 CCR § 15719.



Rkeledj
Raquel Keledjian
Lab Director
04/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 4 CCR 15730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

AIO Hash Rosin - 0.50 g - Muha Meds - Mimosa

Lab ID: 260406-775-WCC-(2)-2

METRC Batch: 1A4060300007F5B000161456; METRC Sample: 1A4060300007F5B000161543

Sample ID: 2604PHS0603.2575

Produced: 04/02/2026

Distributor

Producer

Strain: Mimosa

Collected: 04/06/2026

Westside Caregivers Club, Inc

Westside Caregivers Club, Inc

Matrix: Concentrates & Extracts

Received: 04/06/2026

Lic. # C12-0000266-LIC

Lic. # C12-0000266-LIC

Type: Vape

Completed: 04/10/2026

7731 N Hayvenhurst Ave

7731 N Hayvenhurst Ave Van Nuys, CA

Sample Size: 20 units; Batch: 1,585 units

Batch#: 040626MMHRAIOMM1456

Van Nuys, CA 91406

91406

Microbials

Pass

Analyte	Results	Status	Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass	Aspergillus terreus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass	E. Coli	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass	Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 04/09/2026

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by qPCR, SOP 6.05, 4 CCR §15720

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.33	4.0	4	ND	Pass
B2	1.33	4.1	4	ND	Pass
G1	1.33	4.0	4	ND	Pass
G2	1.33	4.3	4	ND	Pass
Total Aflatoxins	5.33	16.4	20	ND	Pass
Ochratoxin A	6.66	20	20	ND	Pass

Date Tested: 04/08/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by LCMS, SOP 6.03 & 6.04, 4 CCR §15721

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	<LOQ	Pass
Cadmium	0.0167	0.05	0.2	ND	Pass
Lead	0.0167	0.05	0.5	ND	Pass
Mercury	0.0167	0.05	0.1	ND	Pass

Date Tested: 04/09/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 4 CCR § 15723



Rkeledj
Raquel Keledjian
Lab Director
04/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 4 CCR 15730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

AIO Hash Rosin - 0.50 g - Muha Meds - Mimosa

Lab ID: 260406-775-WCC-(2)-2

METRC Batch: 1A4060300007F5B000161456; METRC Sample: 1A4060300007F5B000161543

Sample ID: 2604PHS0603.2575

Produced: 04/02/2026

Distributor

Producer

Strain: Mimosa

Collected: 04/06/2026

Westside Caregivers Club, Inc

Westside Caregivers Club, Inc

Matrix: Concentrates & Extracts

Received: 04/06/2026

Lic. # C12-0000266-LIC

Lic. # C12-0000266-LIC

Type: Vape

Completed: 04/10/2026

7731 N Hayvenhurst Ave

7731 N Hayvenhurst Ave Van Nuys, CA

Sample Size: 20 units; Batch: 1,585 units

Batch#: 040626MMHRAIOMM1456

Van Nuys, CA 91406

91406

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.33	1	1	ND	Pass
Acetone	0.33	1	5000	9.35	Pass
Acetonitrile	0.33	1	410	ND	Pass
Benzene	0.33	1	1	ND	Pass
Butane	0.33	1	5000	<LOQ	Pass
Chloroform	0.33	1	1	ND	Pass
Ethanol	0.33	1	5000	14.81	Pass
Ethyl-Acetate	0.33	1	5000	3.75	Pass
Ethyl-Ether	0.33	1	5000	ND	Pass
Ethylene Oxide	0.33	1	1	ND	Pass
Heptane	0.33	1	5000	ND	Pass
Isopropanol	0.33	1	5000	20.65	Pass
Methanol	0.33	1	3000	ND	Pass
Methylene-Chloride	0.33	1	1	ND	Pass
n-Hexane	0.33	1	290	ND	Pass
Pentane	0.33	1	5000	ND	Pass
Propane	0.33	1	5000	<LOQ	Pass
Toluene	0.33	1	890	ND	Pass
Trichloroethene	0.33	1	1	ND	Pass
Xylenes	0.33	1	2170	ND	Pass

pH SOLUTIONS

Date Tested: 04/08/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by GCMS, SOP 6.02, 4 CCR §15718



Rkeledj

Raquel Keledjian
Lab Director
04/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 4 CCR 15730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian